




APTEK SG1080

8 Port Gigabit Unmanaged Ethernet Switch


- Conforms to IEEE802.3, IEEE 802.3u, IEEE 802.3ab
- Provides 8 port 10/100/1000Base-TX
- High back-plane bandwidth 16 Gbps
- IEEE802.3x Flow control
- Provide LED indicators
- Support up to 4KV of lightning protection.
- Fan-less design realize saving energy and environment protection.
- Full metal jacket, support for desktop and wall installation




APTEK SG1080

8 Port Gigabit Unmanaged Ethernet Switch is designed for many applications such as small home offices, schools, and small/medium enterprises. A Full Gigabit Ethernet Switch that is designed to upgrade to Gigabit and meet High Bandwidth Requirements. This switch provides 8 10/100/1000Mbps Adaptive Ethernet Ports, and all Ports support full line speed, non-blocking switching.

Front



Back





Thông số kỹ thuật

Network Port	8 Port 10/100/1000Mbps	
Transmission rate	10 or 100Mbps half-duplex, 100/1000Mbps full duplex Network port : 10BASE-Tor 100BASE-TX Ethernet RJ-45 port	
Performance	Bandwidth :	16Gbps (no block)
	MAC address capacity :	8K
	Frames filter and transfer rate	·10M port maximum 14,880pps ·100M port maximum 148,800pps ·1000M port maximum 148,800pps
Network protocol and standard	IEEE 802.3 IEEE 802.3u IEEE 802.3ab IEEE 802.3x	Ethernet standard Fast Ethernet standard Gigabit Ethernet standards Full-duplex Ethernet data link layers
LEDs indicator	Power Each port: LINK/ACT	
Power	Input power : Output power :	100-240V, 50/60Hz DC 12V/0.5A
Dimensions	Size (L x W x H) : Weight :	125mm×75mm×27mm 0.55 kg
Environment	Operating Temperature : 0°~40°C (32°~104°F) Storage Temperature : -40°C~70°C (-104°~158°F) Operating Humidity : 10%~90% (Non-condensing) Storage Humidity : 5%~90% (Non-condensing)	

